

型号	产品编号
Xmatic	



Xmatic 3x200-240V, 50-60 Hz	06896129
Xmatic 3x380-480V, 50-60 Hz	06896146
Xmatic 帶超聲波清潔 3x200-240V, 50-60 Hz	06896229
Xmatic 帶超聲波清潔 3x380-480V, 50-60 Hz	06896246

Xmatic Compact	产品编号
----------------	------



Xmatic Compact 3x200-240V, 50-60 Hz	06886129
Xmatic Compact 3x380-480V 50/60Hz	06886146
Xmatic Compact 带超声波清洁 3x200-240V, 50-60 Hz	06886229
Xmatic Compact 带超声波清洁 3x380-480V50/60 Hz	06886246
Xmatic Compact 带垂直输送机 3x200-240V, 50-60 Hz	06886329
Xmatic Compact 带垂直输送机 3x380-480V 50/60 Hz	06886346
Xmatic Compact 带超声波清洁和垂直输送机 3x200-240V, 50-60 Hz	06886429
Xmatic Compact 带超声波清洁和垂直输送机 3x380-480V 50/60 Hz	06886446

产品编号

07046101



配备压脚的 Uniforce 水平校准装置	07046102
-----------------------	----------

07046102



存储箱	产品编号
-----	------

产品编号

05306101



试样夹具座					
RFID* 直径 140 mm适用于直径 250 mm (10") 的 MD 磁性盘					
孔尺寸	孔	形状	照片	材料	产品编号
-	0	—		铝	06066701
25-40 mm	4			铝	06066901
25-40 mm	4			不锈钢	06066904
10-32 mm	6			铝	06066918
10-32 mm	6			不锈钢	06066915
RFID* 直径 160 mm适用于直径 300 mm (12") 的 MD 磁性盘					
孔尺寸	孔	形状	照片	材料	产品编号
-	0	—		不锈钢	06066702
-	0	—		铝	06066703
20-40 x 68 mm	3			不锈钢	06066721
50 mm	4			不锈钢	06066913
25-40 mm	6			不锈钢	06066907
25-40 mm	6			铝	06066910
10-25 x 34 mm	6			不锈钢	06066720
10-25.5 mm	12			不锈钢	06066921

* RFID 技术让 Xmatic 可以自动跟踪试样夹具座

用于 Xmatic Compact 改装的垂直输送机, 带超声波清洁装置。



用于 Xmatic Compact 改装的垂直输送机。

