

1

2

调平装置	产品编号
不带压脚的 Uniforce 水平校准装置	07046101

水平校准装置,用于调平试样夹具座(直径 140、160 和 200 mm)中的试样。
未配备用于定位试样的压脚。



配备压脚的 Uniforce 水平校准装置	07046102
------------------------------	----------

水平校准装置, 用于调平试样夹具座 (直径 140、160 和 200 mm) 中的试样。
配备用于定位试样的压脚。



试样夹具座					
直径 160 mm					
孔尺寸	孔	形状	照片	材料	产品编号
25-40 mm	6			不锈钢	06066909
25-40 mm	6			铝	06066912
10-25.5 mm	12			不锈钢	02606917
10-25 x 34 mm	6			不锈钢	02606918
20-40 x 68 mm	3			不锈钢	02606920
最大24 x 52 mm	3	-		不锈钢	02606924
29-32 mm	8			铝	02606954
38-40 mm	6			铝	02606955
50-51 mm	4			不锈钢	02606963
-	0	-		不锈钢	02606926
-	0	-		铝	02606928

试样夹具座					
直径 200 mm					
孔尺寸	孔	形状	照片	材料	产品号码
25-5 mm	6			不锈钢	06066914
53-90 mm	3			不锈钢	02606922
39-32 mm	12			铝	02606956
38-40 mm	8			铝	02606957
49-52 mm	6			铝	02606958
-	0	-		不锈钢	02606927
-	0	-		铝	02606929