

Models	Cat. no.
Xmatic	



Xmatic 3x200-240V, 50-60 Hz	06896129
Xmatic 3x380-480V, 50-60 Hz	06896146
Xmatic with Ultrasonic cleaning 3x200-240V, 50-60 Hz	06896229
Xmatic with Ultrasonic cleaning 3x380-480V, 50-60 Hz	06896246

Xmatic Compact	Cat. no.
----------------	----------



Xmatic Compact 3x200-240V, 50-60 Hz	06886129
Xmatic Compact 3x380-480V 50/60Hz	06886146
Xmatic Compact with Ultrasonic cleaning 3x200-240V, 50-60 Hz	06886229
Xmatic Compact with Ultrasonic cleaning 3x380-480V 50/60Hz	06886246
Xmatic Compact with vertical conveyor 3x200-240V, 50-60 Hz	06886329
Xmatic Compact with vertical conveyor 3x380-480V 50/60Hz	06886346
Xmatic Compact with Ultrasonic cleaning and vertical conveyor 3x200-240V, 50-60 Hz	06886429
Xmatic Compact with Ultrasonic cleaning and vertical conveyor 3x380-480V 50/60Hz	06886446



3

Specimen holders					
RFID* 140 mm dia. For use on MD disc size 250 mm (10") dia.					
Hole size	Holes	Shape	Photo	Material	Cat. nr.
-	0	—		Aluminum	06066701
25-40 mm	4			Aluminum	06066901
25-40 mm	4			Stainless steel	06066904
10-32 mm	6			Aluminum	06066918
10-32 mm	6			Stainless steel	06066915
RFID* 160 mm dia. For use on MD disc size 300 mm (12") dia.					
Hole size	Holes	Shape	Photo	Material	Cat. nr.
-	0	—		Stainless steel	06066702
-	0	—		Aluminum	06066703
20-40 x 68 mm	3			Stainless steel	06066721
50 mm	4			Stainless steel	06066913
25-40 mm	6			Stainless steel	06066907
25-40 mm	6			Aluminum	06066910
10-25 x 34 mm	6			Stainless steel	06066720
10-25.5 mm	12			Stainless steel	06066921

* RFID technology enables Xmatic to automatically track the specimen holders

5

Xmatic Compact retrofit kits		Cat. no.
Vertical conveyor		06886901
Vertical conveyor for retrofit on Xmatic Compact with ultrasonic wash		
Vertical conveyor		06886902
Vertical conveyor for retrofit on Xmatic Compact		